
## [2022 810-01 Actual Exam Dumps, 810-01 Practice Test [Q28-Q43



[2022] 810-01 Actual Exam Dumps, 810-01 Practice Test Actualtests4sure 810-01 dumps & RCPE Network Performance Management (NPM) sure practice dumps

## Riverbed 810-01 Exam Syllabus Topics:

Topic Details Topic 1- Explore Holistic Monito Topic 2- Identify Business Outcomes Tied to Technology Topic 3- Identify Multiple Causes of Poor Application & Network Performance Topic 4- Demonstrate the Business Value of Network Infrastructure Visibility Topic 5- Introduction to Infrastructure Visibility

**NO.28** What is the TCP ACK number to a segment with decode SYN SEQ = 100 and LEN = 0?

- \* ACK = 99
- \* ACK = 100
- \* ACK = 101
- \* ACK numbers are arbitrarily assigned

NO.29 Which protocol is used to forward flow records from AppResponse to NetProfiler?

\* MNMP (TCP, SSL, Compressed and De-duplicated)

- \* SSL
- \* TCP
- \* UDP

NO.30 Which packet capture methodology should be implemented when troubleshooting intermittent problems?

- \* On-demand
- \* Continuous
- \* User-Initiated
- \* Scheduled

**NO.31** What Search By: options are available when using the Object Selection Wizard in SteelCentral Portal? (Choose all that apply.)

- \* Most Popular Transactions
- \* Navigating the Object Tree
- \* Most Common DB Entries
- \* Bottom N
- \* Top N

NO.32 Which AppResponse applications can be managed by NetProfiler?

- \* General and URL
- \* General
- \* General, URL, Advanced Web and Auto-recognized
- \* General, URL and Advanced Web

**NO.33** Which types of data are carried forward when you generate a report using 'Traffic in Context' in NetProfiler?

- \* Only the time frame
- \* Both the time frame and any other traffic criteria used for the previous report
- \* No data is carried forward
- \* Only the traffic criteria

**NO.34** Which solution and module is used to populate the Response Time Composition Chart (RTCC) Drill Down from Portal Application Maps?

- \* AppInternals JavaScript
- \* AppResponse WTA
- \* AppInternals Server Monitoring
- \* AppResponse ASA

**NO.35** What types of metric data are used to populate Application/Server Performance Panels in Portal Application Dashboards? (Choose all that apply.)

- \* Per Instance metrics based on AppInternals
- \* Per System metrics based on NetIM Data
- \* Flow collection Metrics from NetProfiler
- \* Packet Inspection Metrics from AppResponse
- \* End User Device Data from Aternity

NO.36 How often does NetIM discover and collect updated network topology and configuration information by default?

- \* Once hourly
- \* Once daily
- \* Twice daily

\* Once weekly

NO.37 Which NetProfiler integration supports the collection and reporting of identity information?

- \* SAML
- \* SNMP
- \* NetIM
- \* Active Directory

The optional user identity feature relies on data obtained from the security event log of one of more Microsoft Active Directory domain controllers. This data can be sent directly to the appliance or it can be read by a Windows intermediary host that sends it to the appliance. The appliance interprets this data to track successful and failed login attempts by domain users on hosts within the domain. It associates this user identity information with host information to produce reports that identify users as well as hosts.

NO.38 Describe the flows sent from Flow Gateway to NetProfiler. (Choose all that apply.)

- \* Filtered (Optionally)
- \* Reliable (TCP) and Secure (SSL)
- \* UDP based
- \* NetFlow v5 based
- \* Aggregated, deduplicated and compressed

NO.39 Which interface is used for the initial configuration of AppResponse Appliances?

- \* CLI
- \* Desktop App
- \* Packet Analyzer
- \* Web UI

**NO.40** What is the best starting point for downstream discovery of relationships and hosts when creating Portal Application Models?

- \* Back-end DBs
- \* Front-End Hosts or IP Addresses
- \* Application Servers
- \* 3rd Party Services

NO.41 In what cases are Portal application models exported?

- \* To change ownership of application models
- \* To test and troubleshoot with Riverbed Technical Support
- \* To share application models with other Portal users
- \* Application models may not be exported

NO.42 What is the minimum statistic reporting interval for AppResponse Standard Groups (Pre-computed Aggregates)?

- \* 1 minute
- \* 5 minutes
- \* 1 hour
- \* 6 hours

NO.43 Which host group type is used by default for the End User component in NetProfiler Service definitions?

- \* Any combination of user defined groups from multiple group types
- \* ByLocation
- \* ByInternalHosts
- \* BvApp

The default selection is the ByLocation group type. If you want to use the ByLocation group type for determining how end user

This page was exported from - <u>Actual Test Materials</u> Export date: Fri Nov 15 21:44:09 2024 / +0000 GMT

components are tracked and reported, then ensure that the groups of that group type associate IP addresses with the locations you want to track.

If you have a large network, it may be desirable to track and report end users by region, rather than by individual location. In this case, you may prefer to create a ByRegion group type for managing services. In this new group type you might define regional groups instead of using smaller geographical locations.

The group type selection you make on the Configuration > General Settings page is applied to all service definitions. It determines how end-user service components are grouped on dashboards and reports. You should choose this group type carefully because historical data for services will be lost if you must change the group type later.

810-01 Actual Questions and Braindumps: <a href="https://www.actualtests4sure.com/810-01-test-questions.html">https://www.actualtests4sure.com/810-01-test-questions.html</a>]