


## [May-2022 P\_SECAUTH\_21 exam torrent SAP study guide [Q48-Q62]



[May-2022] P\_SECAUTH\_21 exam torrent SAP study guide

Use Valid New P\_SECAUTH\_21 Test Notes & P\_SECAUTH\_21 Valid Exam Guide

**NO.48** What are the requirements of SPNego SSO configuration in an SAP Fiori front-end system? Note: There are 2 correct answers to this question.

- \* The system requires an identity provider as an issuing system to enable single sign-on with SPNego in an internet-facing deployment scenario.
- \* The system's users in the ABAP system must have the same user names as the database users in SAP HANA
- \* The system should typically be located within the corporate network.
- \* The system requires Microsoft Active Directory infrastructure in place.

**NO.49** You are consolidating user measurement results and transferring them to SAP. What act on do you take?

- \* Run report RSUSR200
- \* Run report RFAUDI06\_BCE
- \* Run report RSLAW\_PLUGIN
- \* Run transact on USMM

**NO.50** Insufficient authorization checks might allow ABAP programs to access the PSE files. Which authorization objects should

we check to protect the PSEs? Note: There are 2 correct answers to this question.

- \* S\_RZL\_ADM
- \* S\_DATASET
- \* S\_ADMI\_FCD
- \* S\_DEVELOP

**NO.51** A system user created a User1 and a schema on the HANA database with some data. User2 is developing modelling views and requires access to objects in User1's schema. What needs to be done?

- \* User1 should grant \_SYS\_REPO with SELECT WITH GRANT privilege
- \* User2 needs to be granted with the same roles like User1
- \* System user should grant User2 with SELECT privilege to User1 schema
- \* ROLE ADMIN needs to be granted to User2

**NO.52** Your company is running SAP S/4HANA on premise, with the requirement to run the SAP Fiori Launchpad in the SAP Cloud Platform. What would be the recommended scenario for user authentication for internet browser access to the SAP Fiori Launchpad?

- \* SAML2 and OData Provisioning
- \* SAP Logon Tickets
- \* Principal Propagation
- \* X.509 Client Certificates

**NO.53** You have implemented CUA in your organization and you want to set the field distribution attribute as follows: Maintain a default value in the central system that is automatically distributed to the child systems when you create a user. After distribution, the data is maintained only locally and is no longer distributed if you change it in the central or child system. Which field distribution parameter do you maintain?

- \* Redistribution
- \* Local
- \* Global
- \* Proposal

**NO.54** You want to carry out some preparatory work for executing the SAP Security Optimization Self-service on a customer system. Which of the following steps do you have to execute on the managed systems? Note: There are 2 correct answers to this question.

- \* Install the ST-A/PI plug-in
- \* Configure Secure Network Communications
- \* Configure specific authorizations
- \* Grant operating system access

**NO.55** You verified the password of the TMSADM user in your SAP landscape to be SAP defaulted. You want to reset this password by using program TMS\_UPDATE\_PWD\_OF\_TMSADM. What steps would you take to reset this password?

Note: There are 2 correct answers to this question

- \* Run this program in the Domain Controller (client 000)
- \* Lock TMSADM in all the system/clients including 000
- \* Assign SAP\_ALL to TMSADM in all systems/clients including 000
- \* Deactivate the SNC option

**NO.56** Which authorizations should you restrict when you create a developer role in an AS ABAP production system? Note: There are 2 correct answers to this question.

- \* The ability to execute class methods through authorization object S\_PROGRAM

- \* The ability to execute queries through authorization object S\_OUERY
- \* The ability to execute function modules through authorization object S\_DEVELOP
- \* The ability to use the ABAP Debugger through authorization object S\_DEVELOP

**NO.57** How do you handle user &#8220;SAP &#8216;in AS ABAP? Note: There are 3 correct answers to this question.

- \* Remove all authorizations from the user
- \* Lock and expire the user in all clients
- \* Set profile parameter login/no\_automatic\_user\_sapstar to 0
- \* Set profile parameter login/no\_automatic\_user\_sapstar to 1
- \* Lock and expire the user in all clients except 000

**NO.58** How does the SAP SSO wizard (transaction SNCWIZARD) simplify the SNC configuration process?

- \* It installs the CA certificate response
- \* It exports an SNC SAPCRYPTOLIB certificate and imports it into the partner system
- \* It creates the SNC\_LIB environment variable
- \* It sets the profile parameters for SAP SNC and SPNego in the default profile

**NO.59** You have a load balancer in a DMZ network zone (called natl.mydomain.com) in front of 2 SAP NetWeaver AS systems (host1.mydomain.com, host2.mydomain.com). What is the recommended common name part of the distinguished name on the SSL Server&#8217;s PSE?

- \* It should be a combined DNS alias for host 1.mydomain.com and host2.mydomain.com and nat1.mydomain.com
- \* It should be host 1.mydomain.com, host2.mydornain.com individually for each PSE
- \* It should be natl.mydomain.com
- \* It should be \*.mydomain.com (wildcard) names

**NO.60** How can you protect a table containing sensitive data using the authorization object S\_TABU\_DIS?

- \* The tables containing sensitive data must be associated with table groups in table TBRG.
- \* The field DICBERCLS of the authorization object must enumerate all table names of the tables containing sensitive data.
- \* Authorization table groups containing tables with sensitive data must be defined in table TDDAT and these must be omitted for all employees who do not need access to these tables
- \* The tables containing sensitive data must be named using the authorization object S\_TABU\_NAM for all responsible administrator employees. The fields DICBERCLS of the object S\_TABU\_DIS can then be filled with \*.

**NO.61** Which of the following events will create security alerts in the CCMS Alert Monitor of SAP Solution Manager? Note: There are 2 correct answers to this question.

- \* Manual table changes
- \* Changes to the instance profile
- \* Call of RFC functions
- \* Start of reports

**NO.62** Your customer runs a 3-tier environment You are asked to set up controls around monitoring the sensitive objects (such as programs, user-exits, function modules) in a development system before they are transported to the quality assurance system.

Which table would you maintain to monitor such sensitive objects before executing an import?

- \* TMSCEDES
- \* TMSBUFFER
- \* TMSMCONF
- \* TMSTCRI

**P\_SECAUTH\_21 Exam questions and answers:** [https://www.actualtests4sure.com/P\\_SECAUTH\\_21-test-questions.html](https://www.actualtests4sure.com/P_SECAUTH_21-test-questions.html)]