


100% Accurate Answers! Aug-2023 Sitecore-10-NET-Developer Actual Real Exam Questions [Q12-Q32]



100% Accurate Answers! Aug-2023 Sitecore-10-NET-Developer Actual Real Exam Questions Best Value Available! 2023 Realistic Verified Free Sitecore-10-NET-Developer Exam Questions

Sitecore-10-NET-Developer Certification Exam covers a wide range of topics, including Sitecore architecture, data modeling, security, content management, and integration with other systems. Candidates must demonstrate proficiency in developing custom modules, pipelines, and workflows using .NET, as well as configuring and optimizing Sitecore for optimal performance. Successful candidates will be able to leverage the full power of the Sitecore platform to deliver cutting-edge digital experiences to their clients.

Sitecore 10 .NET Developer Exam is an online, proctored exam that can be taken from anywhere in the world. Sitecore-10-NET-Developer exam consists of 75 multiple-choice questions that must be completed within 90 minutes. To pass the exam, developers must score at least 70%. Sitecore-10-NET-Developer exam fee includes two attempts, and developers can retake the exam after a waiting period of 30 days.

NO.12 You are designing a component that will allow users to select a content item from a specific place within the content tree as

the data source. How will you ensure the component is flexible and the user can select a content item upon use?

- * Ensure the insert options for the component are enabled so the Author can change the content item for the component.
- * Ensure the users can create a new component from Experience Editor and configure the Datasource Template field.
- * Ensure the component supports a change to the data source and configure the Datasource Location field.
- * Ensure you add a placeholder within the component so the Experience Editor prompts the user for a content item.

NO.13 When developing using Sitecore headless SDKs, what is the relationship between the rendering host and the Sitecore Content Delivery role?

- * The Content Delivery role hosts the headless services that the rendering host uses to retrieve Sitecore content and layout.
- * The Content Delivery role has absolutely no relation to the rendering host as both are separate features for content management and delivery.
- * The rendering host is a plugin feature that is loaded into the Content Delivery role to enhance the response speed of page requests.
- * The rendering host is integrated into the Content Delivery role to make a highly-coupled system for retrieving and displaying content data.

NO.14 If the Sitecore Content Management instance can be accessed by multiple host names, what would you do to enable users for each site to be able to log in to the Sitecore shell?

- * Patch the web.config for the Content Management instance with the required permission groups.
- * Update the role for each user group to include the appropriate site permissions.
- * Remove all specific host names from the Identity Server configuration settings file and replace them with wild-card options.
- * Add AllowedCorsOriginsGroup for each site to the Identity Server configuration.

NO.15 When using Sitecore MVC, which static class contains information about any current HTTP request?

- * Sitecore.HttpContext. Request
- * Sitecore.Context
- * Sitecore.Request
- * Sitecore.HttpContext

NO.16 Sitecore utilizes several databases with various purposes. What data is stored in the Master database?

- * Configuration information about the Sitecore user interfaces
- * Only the latest versions of items that have been published
- * .NET membership and security authorization tables
- * All versions of all the content, including unpublished content

NO.17 In a non-SXA multisite implementation, what is the recommended practice for storing reusable content that is shared between the different sites?

- * You should create a folder on each site and use cloning for this type of content.
- * It is not a recommended practice to share content between sites.
- * You should store this type of content outside of any one site's content tree structure.
- * Location does not matter because content can be retrieved from anywhere.

NO.18 Which statement characterizes the Sitecore Extranet security domain?

- * It provides default access to the Sitecore identity server for users to log in to the appropriate environment areas.
- * It is an internal security domain for users that can access the Sitecore client tools and editing functionality.
- * It is the domain that contains user accounts as well as customized roles for managing read access to the website content.
- * It provides customized roles for controlling access to third-party environments such as a CRM or payment portal.

NO.19 What is a reason to set the insert options on a specific item under the content node of the content tree?

- * To allow Content Authors to insert items into the content tree for all the templates they have access to
- * To allow Content Authors to insert items under the specific item in addition to what is included with the item's standard

values

- * To allow Content Authors to insert new items under any item within the content tree
- * To allow Content Authors to insert items created from any system template into the content tree under the specific item

NO.20 Which three areas of Sitecore allow you to view the available workflow commands of an item you are editing? (Choose three.)

- * Security Editor
- * Workflow Command
- * Experience Editor
- * Content Editor
- * Workbox
- * Path Analyzer

NO.21 Which of the following is considered a complex field and should not be rendered using the `Html.Sitecore().Field()` method when developing with Sitecore MVC?

- * Number
- * Image
- * Check box
- * Single-line text

NO.22 Which of the following information is available within Workbox?

- * Number of editable data source items in all of Sitecore
- * Information about an item's originating template
- * Number of active campaigns divided by marketing team
- * Available workflow commands divided by associated workflow

NO.23 You are setting up a Sitecore instance without the use of SXA and want to accommodate three public-facing websites. Where would you map the correct Home item to its corresponding hostname?

- * In the `/system/settings` section of the Master database
- * In the Sitecore Core database's settings file
- * In the Internet Information Services website definition settings
- * In a config patch file located in the `/App_Config/Include` folder

NO.24 Which statement best describes the purpose of the Sitecore Container Registry (SCR)?

- * The SCR provides base container images for Sitecore environments for both production and development purposes.
- * The SCR provides Sitecore-approved images submitted by the Sitecore MVP community.
- * The SCR only provides base container images for Sitecore environments for development purposes only.
- * The SCR only provides base container images for add-on modules, such as SXA, JSS, and SPE.

NO.25 What is the purpose of a Sitecore Support Package?

- * To help Sitecore replicate an issue without needing to access the environment directly.
- * To let Sitecore Support Services access active logs running directly in the environment.
- * To make it easier for you to download update packages and install them into your environment.
- * To give Sitecore direct access to your environment for support purposes.

NO.26 In a non-SXA website, you have created a layout definition item and want to designate the layout as part of the presentation details. According to Sitecore best practices, where should you set presentation details?

- * Standard values
- * On the individual items
- * Rendering parameters

* Standard template

NO.27 While using the Sitecore Install Assistant (SIA), you encounter the error below:

Based on the information provided in the image, what is the most likely reason for this install error?



- * The Sitecore instance username/password were incorrect.
- * The Solr install path was set incorrectly.
- * The Solr service was stopped.
- * The SQL server username/password were incorrect.

NO.28 For non-SXA websites, why is it recommended to avoid setting presentation details directly on new content items?

- * Defining presentation details on standard values ensures all the fields related to an item's presentation are configured for access by content creators.
- * Sitecore does not allow presentation details to be changed at the content-item level, so they must be set and edited from the standard values of templates.
- * It allows all content items made from the same template to have the same presentation details by default and eliminates additional work during content creation.
- * It forces a prompt to appear when new content items are created so Content Authors can finalize the presentation details for the new content items.

NO.29 How would you debug the Sitecore Content Delivery role that is running on containers?

- * Attach to the w3wp.exe process of the container from your IDE.
- * Open the container logs in Docker Desktop and review for errors.
- * Right-click the container in Docker Desktop and select Debug.
- * Stop the container and run a debug command from PowerShell.

NO.30 How does content serialization with the Sitecore CLI or Sitecore for Visual Studio support the development experience?

- * By acting as a data-storage solution for every item in the content tree
- * By providing a process for building out templates and layouts with a graphical interface walkthrough
- * By providing a feature for testing content synchronization during the development process
- * By allowing Developers to easily move and share Developer-owned items across different environments

NO.31 When developing with the Sitecore ASP.NET Core Rendering SDK, what is the purpose of registering component Tenders within the rendering host's Startup.cs class?

- * To document the components that have been created and help the Developer identify which to create
- * To build a catalog of component offerings for selection from within the Sitecore Experience Editor
- * To map a Sitecore rendering component name to an implementation
- * To build an index of available components for use when creating data source items from within the content tree

NO.32 What is the purpose of standard values on data templates?

- * To give Content Authors approved options for the field values when creating items from the given template
- * To provide the default values for fields when a new item is created from the template and a fallback value when fields are left NULL
- * To provide standardized, permanent values for certain fields within the given template that cannot be overridden when a new item is created
- * To record an example of how to use the template to provide additional guidance when creating content items based on the template

Actual Questions Answers Pass With Real Sitecore-10-NET-Developer Exam Dumps:

<https://www.actualtests4sure.com/Sitecore-10-NET-Developer-test-questions.html>