
Get Instant Access to C_FIORDEV_22 Practice Exam Questions [Q43-Q67



Get Instant Access to C_FIORDEV_22 Practice Exam Questions
Reliable Study Materials & Testing Engine for C_FIORDEV_22 Exam Success!

QUESTION 43

Which of the following pattern sequences are the QUnit tests based on?

- * Given, Then, and When
- * Given, When, and Then
- * Arrange, Act, and Assert
- * Assert, Act, and Arrange

QUESTION 44

Where are the themes saved for the SAP Fiori launchpad?

- * In the theme tool
- * In the UI theme designer tool
- * In the theme repository in back-end server
- * In the theme repository in front-end server

QUESTION 45

You are extending an SAP Fiori app.

Which ofthe extension properties are defined in the manifest.json?

Note: There are 2 correct answers to this question.

- * sap.ui.modelModifications
- * sap.ui.il8nModifications
- * sap.ui.controllerExtensions
- * sap.ui.viewModifications

QUESTION 46

Which file can you use to configure internal navigation for List Report and Object Page templates?

- * index.html file
- * manifest.json file
- * OData annotation file
- * vocabulary.xml file

QUESTION 47

Which SAP Fiori application can you launch using the search function instead of a tile?

- * Analytical
- * Transactional
- * Legacy
- * Factsheet

QUESTION 48

What activity does the QUnit Stub functionality perform?

- * Supplies parameters for method calls.
- * Verifies that expected methods are called correctly.
- * Provides parameters and return values for method calls.
- * Returns values for method calls.

QUESTION 49

What are Technical Catalogs used for? Note: There are 2 correct Answers to this question.

- * To reference tiles and target mappings according to Segregation of Duties for example a Purchaser, a Buyer and so on
- * To store tiles and target mappings by technology per solution area
- * As a reference for Business Groups
- * As a reference for Business Catalogs

QUESTION 50

What options can you use to add UI annotations to a SAP Fiori Element Page? Note: There are 3 correct answers to this question.

- * Add Annotation to the Annotation file present as a part of WeblDE project using Annotation modeler
- * Add Annotations to the underlying CDS view

- * Add Annotation to the underlying Database Table
- * Add Annotations to the manifest file present as a part of WeblDE project using the Descriptor Edit
- * Add Annotation with the help of a Metadata Extension

QUESTION 51

You want to create a business catalog for all employees that contains a standard SAP Fiori app. How would you do this?

- * Reference the tile from Odata metadata
- * Reference the tile from a Technical Catalog provided by SAP
- * Reference the tile from a SAP Business Group
- * Reference the tile from a SAP Business Catalog

QUESTION 52

In a SAP Fiori hub deployment, where is the SAPUI5 application code stored for a transactional app?

- * SAP Back-End Server (BES)
- * SAP Front-End Server (FES)
- * SAP HANA XS Engine
- * SAP Web Dispatcher

QUESTION 53

What are the Lifecycle events of an SAPUI5 view controller? Note: There are 2 correct answers to this question.

- * onExit
- * beforeEntry
- * aterExecution
- * onBeforeRendering

QUESTION 54

Your customer extends an SAP Fiori app with View Replacement.

Which activities do you perform?

Note: There are 2 correct answers to this question.

- * Create an SAPUIS view that replaces the complete view.
- * Create an SAPUIS control that replaces the original control.
- * Verify that adding custom content in the Extension Points is NOT sufficient
- * Identify a specific SAPUIS control to be replaced

QUESTION 55

You perform a QUnit test with the following syntactical options. Which call returns true when you execute it?

- * assert.strictEquaKO/'Vtrue");
- * assert.strictEqual(0,,,-0″,"true");
- * assert.strictEqual(0/null/"true");
- * assert.strictEqual(0,"0″,"true");

QUESTION 56

To which of the following does an SAP Fiori tile point to directly?

- * An SAP Fiori app
- * A target mapping with a semantic object and an action
- * An action
- * A semantic object

QUESTION 57

Which of the following annotations would you use for a List Report Page? Note: There are 2 correct answers to this question.

- * Use @UI.Iineitem.importance annotation to determine in which devices the field is displayed.
- * Use @UI.selectionField annotation to define a fuzzy search field
- * Use @Search.defaultSearchElement annotation to define input fields with value help.
- * Use @UI.hidden annotation to hide the fields that are not to be displayed on a list report

QUESTION 58

In a SAP Fiori hub deployment, where is the SAPUI5 application code stored for a transactional app?

- * SAP HANA XS Engine
- * SAP Back-End Server (BES)
- * SAP Web Dispatcher

QUESTION 59

In the source code below, which of the following locations must reference the extension point?

```
1 * *core:view xmlns:core="sap.ui.core" xmlns:form="sap.ui.core.mvc" xmlns="sap.m"

controllerName="appextension.EmployeeData" xmlns:html="http://www.w3.org/1999/xhtml">

spage title="Title">

spage title="Title">

content>

scontent>

content>

content

content
```

- * Neo-app.json
- * Componente.js
- * EmployeData.view.xml
- * EmployeData.controller.js

QUESTION 60

Which method on the SAP NetWeaver Gateway must you use to provide deep inserts?

* CREATE_DEEP_INSERT_ENTITY

- * CREATE_INSERT_ENTITY
- * CREATE_DEEP_ENTITY
- * CREATE_INSERT_DEEP_ENTITY

QUESTION 61

You want to create a business catalog for all employees that contains a standard SAP Fiori app. How would you do this?

- * Reference the tile from Odata metadata
- * Reference the tile from a SAP Business Group
- * Reference the tile from a Technical Catalog provided by SAP
- * Reference the tile from a SAP Business Catalog

QUESTION 62

You perform a QUnit test with the following syntactical options. Which call returns true when you execute it?

- * assert.strictEqual(0,null,"true");
- * assert.strictEqual(0,"0″,"true");
- * assert.strictEqual(0," ","true");
- * assert.strictEqual(0,-0,"true");

QUESTION 63

You need to consume the OData Service from the Gateway to create a new SAP Fiori app in the SAP Web IDE What value do you configure in the WebIDEUsage property for the destination in the SAP HANA Cloud Platform?

- * dev_abap
- * odata_xs
- * odata_gen
- * odata_abap

QUESTION 64

Which HTTP request method can you use to create an OData resource?

- * CHANGE
- * POST
- * PUT
- * UPDATE

QUESTION 65

Which methods can you use to bind data to the controls in SAPUI5? Note: There are 3 correct Answers to this question.

- * Element
- * Structure
- * Property
- * Combination
- * Aggregation

QUESTION 66

Which features of the SAP Business Application Studio help you extend a standard SAP Fiori app?Note:

This page was exported from - <u>Actual Test Materials</u> Export date: Fri Nov 15 16:56:51 2024 / +0000 GMT

There are 2 correct Answers to this question.

- * An editor to modify the data model in the extended project
- * The Descriptor Editor to choose elements for extension
- * A wizard to generate the files for each extension possibility
- * The Extensibility Pane to choose extension points

QUESTION 67

You develop an SAPUI5 app and implement a FacetFilter

What events are triggered when the user interacts with the FacetFilter control?

Note: There are 2 correct answers to this question.

- * reset
- * confirm
- * Oninit
- * listFilter

Validate your Skills with Updated C_FIORDEV_22 Exam Questions & Answers and Test Engine: https://www.actualtests4sure.com/C_FIORDEV_22-test-questions.html]