
## [Nov 12, 2023 H19-338-ENU certification guide Q&A from Training Expert Actualtests4sure [Q108-Q122



[Nov 12, 2023] H19-338-ENU certification guide Q&A from Training Expert Actualtests4sure H19-338-ENU Certification Overview Latest H19-338-ENU PDF Dumps

The HCPP-Storage exam focuses on a wide range of topics related to storage solutions, including Huawei storage products, virtualization technology, storage solution planning, design, installation, and maintenance. Candidates are expected to have expertise in storage system architecture, storage network architecture, and storage device configuration.

**Q108.** After the SSD is removed the dirk domain of the OceanStor Dorado V3 (same with Dorado V6) storage system reconstructs data immediately.

- \* True
- \* False

**Q109.** In database application scenarios, which is the recommended latency of the active-active (HyperMetro) replication network? \* 0.5

- \* 1
- \* 2
- \* 3

Q110. What are the highlights of Huawei's HyperMetro NAS solution? (Multiple choice)

- \* No additional gateways are required.
- \* The dual-arbitration mode is provided.
- \* Cross-site bad block repair is supported.
- \* The active-active (HyperMetro) solution can be smoothly upgraded to the geo-redundant 3DC DR solution.
- \* FastWrite is supported.

Q111. What are the typical networking modes of a FusionStorage cluster? (Multiple choice)

- \* Isolated front-end and back-end storage networks.
- \* Integrated front-end and back-end storage network.
- \* TCP/IP, InfiniBand, and RoCE networks.

**Q112.** Which of the following chips are part of the Dorado V6 in addition to Dorado V3's self-developed chips? (Multiple choice)

- \* CPU chip
- \* SSD controller chip
- \* BMC chip
- \* AI chip
- \* Multi-protocol interface chip

**Q113.** When performing a controller fault test on the Dorado V6 mission-critical product models, ensure that each controller has a link to the host.

- \* True
- \* False

Q114. HyperMetro quorum servers can be deployed on VMs.

- \* True
- \* False

Q115. Which of the following models supports expansion to up to 32 controllers?

- \* OceanStor Dorado 300 V6
- \* OceanStor Dorado 5000 V6
- \* OceanStor Dorado 6000 V6
- \* OceanStor Dorado 8000 V8

Q116. Which of the following is not a VDI application scenario in the healthcare industry?

- \* Surgical treatment room
- \* Patient information and management system
- \* Public terminal
- \* Telemedicine assistance and training

Q117. Which of the following switches Goes not support iStacK?

- \* S1730S-H
- \* S5731-H
- \* S5735-S
- \* S5732-H

## Explanation

The switch that does not support iStack is S1730S-H. This is because the S1730S-H does not have any stack ports or support stack cards. The iStack technology allows multiple switches to be connected and managed as a single logical device, which improves network scalability and reliability.

**Q118.** The free mobility function allows users to obtain the consistent network access policy regardless of their location and IP address Free mobility requires the network to be made up entirely of Huawei devices.

- \* True
- \* False

Explanation

The free mobility function allows users to obtain the consistent network access policy regardless of their location and IP address, but it does not require the network to be made up entirely of Huawei devices.

According to the Huawei CloudCampus Solution Description, free mobility is supported on a hybrid network consisting of Huawei and third-party devices, and the authentication point can be deployed on third-party devices.

Q119. Which statements about the quorum network in the HyperMetro network are true? (Multiple choice)

- \* The quorum network supports the IP network.
- \* The quorum network supports the FC network.
- \* The quorum network requires that the latency be less than or equal to 50 ms.
- \* The quorum network requires that the link bandwidth be greater than or equal to 10 Mbit/s.

**Q120.** Both NE8000 M1A and F1A are 220 mm deep.

- \* True
- \* False

Explanation

NE8000 M1A and F1A are not both 220 mm deep. According to the Huawei NetEngine 8000 M14 Routers Support Guide, NE8000 M1A is 220 mm deep, but NE8000 F1A is 400 mm deep.

**Q121.** Enabling the Fast Write function of replication links between storage arrays can reduce the amount of data to be transmitted by 50%

- \* True
- \* False

Q122. AirEngine is Huawei's the newest brand name of Wi-Fi products

- \* True
- \* False

Explanation

AirEngine is Huawei's newest brand name of Wi-Fi products. According to the Huawei AirEngine Wi-Fi 6 Solution White Paper, Huawei launched its new brand name AirEngine for its Wi-Fi products in April 2019, aiming to provide ubiquitous connectivity, mobility, and intelligence for enterprises.

This page	was exp	orted f	rom -	Actual	Test Materials
Export date:	Fri Nov 1	5 20:28:4	47 2024	$\frac{1}{4} + 0000$	GMT

The Best Huawei H19-338-ENU Study Guides and Dumps of 2023:

https://www.actualtests4sure.com/H19-338-ENU-test-questions.html]