

2024 Latest DEX-450 dumps - Instant Download PDF [Q33-Q54]



2024 Latest DEX-450 dumps - Instant Download PDF
Updated Verified DEX-450 Downloadable Printable Exam Dumps

Salesforce is a cloud-based customer relationship management (CRM) platform that provides various tools and features to help organizations manage their customer interactions and sales processes. One of the key aspects of Salesforce is its programming language, Apex, which allows developers to create custom applications and automate business processes within the platform. The Salesforce DEX-450 exam is designed to test a developer's knowledge and skills in programmatic development using Apex and Visualforce in the Lightning Experience.

How to Prepare for Salesforce DEX-450 Exam Preparation Guide for Salesforce DEX-450 Exam Introduction
Salesforce is a solution for managing customer relationships that unite customers and companies. This is an interactive CRM platform that provides a single, shared view of every client in all the divisions including marketing, distribution, exchange, and operation. Provide the clients with the individual experience Salesforce demand 360 product via the Integrated CRM Platform. It delivers solid and related goods to boost marketing, revenue, exchange, operation, IT, and more. Salesforce is a digital cloud computing (SaaS) firm specializing in the management of client relationships (CRMs). There was a mistake. The app is now the number one of consumer satisfaction and allows organizations to track customer behavior, advertise to consumers, and more. Salesforce is common because it is bundled with features such as contact management, workflow development, task management, incentive monitoring, teamwork tools, customer experience tools, analytics, and interactive, smartphone dashboard.

Salesforce DEX-450 certification exam is a programmatic development certification that focuses on Apex and Visualforce

development within the Lightning Experience platform. Programmatic Development using Apex and Visualforce in Lightning Experience certification is designed for developers who are interested in building custom applications, integrations, and business logic solutions within Salesforce. DEX-450 exam covers a wide range of topics including Apex syntax and data types, Visualforce page development, Lightning component development, and Salesforce security models.

NEW QUESTION 33

A developer is creating a Lightning web component to show a list of sales records.

The Sales Representative user should be able to see the commission field on each record. The Sales Assistant user should be able to see all fields on the record except the commission field.

How should this be enforced so that the component works for both users without showing any errors?

- * Use WITH SECURITY_ENFORCED in the SOQL that fetches the data for the component.
- * Use Security.stripInaccessible to remove fields inaccessible to the current user.
- * Use Lightning Data Service to get the collection of sales records.
- * Use Lightning Locker Service to enforce sharing rules and field-level security.

NEW QUESTION 34

A company has a custom object named Region. Each account in Salesforce can only be related to one region at a time, but this relationship is optional. Which type of relationship should a developer use to relate an account to a region?

- * Parent-child
- * Master-detail
- * Hierarchical
- * Lookup

NEW QUESTION 35

When a task is created for a contact, how can a developer prevent the task from being included on the activity timeline of the contact's account record?

- * In activity settings, uncheck roll-up activities to a contact's primary account
- * By default, tasks do not display on the account activity timeline
- * Use process builder to create a process to set the task account field to blank
- * Create a task trigger to set the account field to NULL

NEW QUESTION 36

What should a developer use to implement an automate approval process submission for case?

- * Process builder.
- * An assignment rules.
- * A workflow rules.
- * Scheduled apex.

NEW QUESTION 37

What actions types should be configured to display a custom success message?

- * Update a record.
- * Post a feed item.

- * Delete a record.
- * Close a case.

NEW QUESTION 38

A developer needs to create a baseline set of data (Accounts, Contacts, Products, Assets) for an entire suite of tests allowing them to test independent requirements various types of Salesforce Cases. Which approach can efficiently generate the required data for each unit test?

- * Add @IsTest(seeAllData=true) at the start of the unit test class
- * Create test data before test.startTest() in the test unit.
- * Use @TestSetup with a void method
- * Create a mock using Stub API

NEW QUESTION 39

A development team wants to use a deployment script to automatically deploy to a sandbox during their development cycles.

Which two tools can they use to run a script that deploys to a sandbox?

Choose 2 answers

- * VS Code
- * SFDX CLI
- * Change Sets
- * Developer Console

NEW QUESTION 40

A developer is asked to create a Visualforce page that displays some Account fields as well as fields configured on the page layout for related Contacts.

How should the developer implement this request?

- * Use the <apex:relatedList> tag.
- * Create a controller extension.
- * Use the <apex:include> tag.
- * Add a method to the standard controller.

NEW QUESTION 41

What is the preferred way to reference web content such as images, style sheets, JavaScript, and other libraries that is used in Visualforce pages?

- * By accessing the content from Chatter Files.
- * By uploading the content in the Documents tab.
- * By accessing the content from a third-party CON.
- * By uploading the content as a Static Resource.

NEW QUESTION 42

Given the following block code: `try{ List <Accounts> retrievedRecords = [SELECT Id FROM Account WHERE Website = null]; }catch(Exception e){ //manage exception logic }` What should a developer do to ensure the code execution is disrupted if the retrievedRecordslist remains empty after the SOQL query?

- * Check the state of the retrieveRecords variable and throw a custom exception if the variable is empty.
- * Check the state of the retrievedRecords variable and use System.assert(false) if the variable is empty
- * Check the state of the retrievedRecords variable and access the first element of the list if the variable is empty.
- * Replace the retrievedRecords variable declaration from fount to a single Account.

NEW QUESTION 43

which statement is true regarding execution order when triggers are associated to the same object and event?

- * Trigger execution order cannot be guaranteed.
- * executed In the order they are modified.
- * Triggers are executed alphabetically by trigger name.
- * Triggers are executed in the order they are created.

NEW QUESTION 44

A developer has an integer variable called maxAttempts. The developer needs to ensure that once maxAttempts is initialized, it preserves its value for the length of the Apex transaction; while being able to share the variable's state between trigger executions. How should the developer declare maxAttempts to meet these requirements?

- * Declare maxAttempts as a member variable on the trigger definition.
- * Declare maxAttempts as a private static variable on a helper class
- * Declare maxAttempts as a constant using the static and final keywords
- * Declare maxAttempts as a variable on a helper class

NEW QUESTION 45

Assuming that name is a String obtained by an <apex:inputText> tag on a Visualforce page. Which two SOQL queries performed are safe from SOQL injections? Choose 2 answers

- * String query = 'SELECT Id FROM Account WHERE Name LIKE ' + name.noQuotes() + ';; List<Account> results = Database.query(query);
- * String query = 'SELECT Id FROM Account WHERE Name LIKE ' + String.escapeSingleQuotes(name) + ';; List<Account> results = Database.query(query);
- * String query = 'SELECT Id FROM Account WHERE Name LIKE ' + name + ';; List<Account> results = Database.query(query);
- * String query = ' + name + ';;

List<Account> results = [SELECT Id FROM Account WHERE Name LIKE :query];

NEW QUESTION 46

The sales management team requires that the lead source field of the Lead record be populated when Lead is converted. What would a developer use to ensure that a user populates the Lead source field?

- * Validation rule
- * Formula field
- * Workflow rule
- * Process builder

NEW QUESTION 47

A Licensed_Professional__c custom object exist in the system with two Master-Detail fields for the following objects:

Certification__c and Contact. Users with the Certification Representative role can access the Certification records

they own and view the related Licensed Professionals records, however users with the `Salesforce representative` role report they cannot view any Licensed professional records even though they own the associated Contact record. What are two likely causes of users in the `Sales Representative` role not being able to access the Licensed Professional records?
Choose 2 answers

- * The organization's sharing rules for `Licensed_Professional__c` have not finished their recalculation process. (Missed)
- * The organization recently modified the Sales representative role to restrict Read/Write access to `Licensed_Professional__c`
- * The organization has a private sharing model for `Certification__c`, and Contact is the primary relationship in the `Licensed_Professional__c` object
- * The organization has a private sharing model for `Certification__c`, and `Certification__c` is the primary relationship in the `Licensed_Professional__c` object. (Missed)

NEW QUESTION 48

How can a developer use a `Set<Id>` to limit the number of records returned by a SOQL query?

- * Reference the Set in the LIMIT clause of the query
- * Pass the query results as an argument in a reference to the `Set.containsAll()` method.
- * Pass the Set as an argument in a reference to the `Database.query()` method
- * Reference the Set in the WHERE clause of the query

NEW QUESTION 49

A developer needs to have records with specific field values in order to test a new Apex class. What should the developer do to ensure the data is available to the test?

- * Use `Test.loadData()` and reference a CSV file.
- * Use SOQL to query the org for the required data.
- * Use `Test.loadData()` and reference a static resource.
- * Use Anonymous Apex to create the required data.

NEW QUESTION 50

Universal Container uses Service Cloud with a custom field, `stage_c`, on the Case object.

Management wants to send a follow-up email reminder 6 hours after the `stage_c` field is set to `Waiting on customer`; The `Administrator` wants to ensure the solution used is bulk safe.

Which two automation tools should a developer recommend to meet these business requirements?

Choose 2 answers

- * Scheduled Flow
- * Einstein Next Best Action
- * Record_Triggered Flow
- * Process Builder

NEW QUESTION 51

Which statement about change set deployments is accurate? (Choose 3)

- * They use an all or none deployment model.
- * They require a deployment connection.
- * They can be used to transfer Contact records.
- * They can be used to deploy custom settings data.

- * They can be used only between related organizations.

NEW QUESTION 52

When the value of a field of an account record is updated, which method will update the value of a custom field opportunity?
Choose 2 answers.

- * A process builder on the Account object
- * An Apex trigger on the Account object.
- * A cross-object formula field on the Account object
- * A workflow rule on the Account object

NEW QUESTION 53

On a Visualforce page with a custom controller, how should a developer retrieve a record by using an ID that is passed on the URL?

- * Use the constructor method for the controller.
- * Use the \$Action.View method in the Visualforce page.
- * Create a new PageReference object with the Id.
- * Use the tag in the Visualforce page.

NEW QUESTION 54

A developer is building custom search functionality that uses SOSL to search account and contact records that match search terms provided by the end user. The feature is exposed through a Lightning web component, and the end user is able to provide a list of terms to search.

Consider the following code snippet:

```
@AuraEnabled
public static List<List<sObject>> searchTerms(List<String> termList){
    List<List<sObject>> result = new List<List<sObject>>();
    for(String term : termList){
        result.add(1, (FIND :term IN ALL FIELDS RETURNING Account (Name),
        Contact (FirstName, LastName) ));
    }
    return result;
}
```

What is the maximum number of search terms the end user can provide to successfully execute the search without exceeding a governor limit?

- * 20
- * 150
- * 200
- * 2,000

The Ultimate Salesforce DEX-450 Dumps PDF Review: <https://www.actualtests4sure.com/DEX-450-test-questions.html>